



PHYS323:

From Particle to Nuclear Physics Sebastian Kuhn



The Structure of Matter



The Nucleus

$(1-10) \times 10^{-15}$ m

At the center of the atom is a nucleus formed from **nucleons**—protons and neutrons. Each nucleon is made from three **quarks** held together by their strong interactions, which are mediated by gluons. In turn, the nucleus is held together by the **strong** interactions between the gluon and quark constituents of neighboring nucleons. Nuclear physicists often use the exchange of mesons—particles which consist of a quark and an antiquark, such as the **pion**—to describe interactions among the nucleons.

neutron
 10^{-15} m
proton

strong field
quark
 $< 10^{-19}$ m


electromagnetic field

In an atom, **electrons** range around the nucleus at distances typically up to 10,000 times the nuclear diameter. If the electron cloud were shown to scale, this chart would cover a small town.


Matter Particles

- Make up visible matter
- Pointlike ($<10^{-18}$ m), Fundamental *)
- Have mass (from $< \frac{1}{2}$ eV to 178,000,000,000 eV = 178 GeV)
- Distinct from their antiparticles *)
- Fermions (Spin $\frac{1}{2}$) \Rightarrow they “defend” their space (Pauli Principle) and can only be created in particle-antiparticle pairs
- Can be “virtual”, but make up matter being (nearly) “real”
- “stable” (against strong decays; lifetimes from ∞ to 10^{-24} s)

Leptons



3 “colors” = 3 different charges: red, green, blue



Quarks

x2 for R, x2 for antiparticles

*) Until further notice

Forces and Force Carriers

- Mediate Interactions (Forces) - form “Waves”
- Pointlike, Fundamental
- Massless ^{*)}
- Some are their own antiparticles (photon, Z^0 , graviton)
- Spin 1, 2 \rightarrow Bosons (tend to cluster together, can be produced in arbitrary numbers)
- Can be real, but carry forces as virtual particles
- Some are absolutely stable (γ , gluons, gravitons)

BOSONS			force carriers spin = 0, 1, 2, ...		
Unified Electroweak spin = 1			Strong (color) spin = 1		
Name	Mass GeV/c ²	Electric charge	Name	Mass GeV/c ²	Electric charge
γ photon	0	0	g gluon	0	0
W^-	80.4	-1	Gravitation spin = 2		
W^+	80.4	+1	Name	Mass GeV/c ²	Electric charge
Z^0	91.187	0	g graviton	0	0



Note: gluons come in 8 possible combinations of color/anticolor (9th is “sterile” – doesn’t exist)



^{*)} See next slide

Interactions


- Matter Particles interact with each other by exchanging Gauge Bosons
- Strength of Interaction determined by coupling (“charge”: electromagnetic e , weak g , color α_s)
- Range of interaction determined by mass ^{*)} of gauge boson and Heisenberg uncertainty principle
- Examples:
 - $e^- e^{+/-}$ scattering (E&M)
 - neutron beta decay (weak)
 - quark-quark interaction (strong)
 - Confinement
 - Asymptotic freedom
 - Mesons, baryons...
 - $N\pi$ interaction, NN interaction
- **ALL interactions MUST conserve energy and charge!**



^{*)} Huh? See next slide

Hadronic Particle Zoo

- what can one build from quarks?



HADRONS								
Family Name	Particle Name	Particle Symbol	Antiparticle Symbol	Composition	Mass	Electric Charge	Lifetime in Seconds	
baryon	proton	p or p ⁺	\bar{p}	uud	1,836	+1	stable	
	neutron	n or n ⁰	\bar{n}	udd	1,839	0	887	
	lambda	Λ^0	$\bar{\Lambda}^0$	uds	2,183	0	2.6×10^{-10}	
	lambda-c	Λ_c^+	$\bar{\Lambda}_c^+$	udc	4,471	+1	2.1×10^{-13}	
	lambda-b	Λ_b^0	$\bar{\Lambda}_b^0$	udb	11,000	0	1.1×10^{-12}	
	sigma		Σ^+	$\bar{\Sigma}^+$	uus	2,328	+1	0.8×10^{-10}
			Σ^0	$\bar{\Sigma}^0$	$(u\bar{d} + d\bar{u})/\sqrt{2}$	2,334	0	7.4×10^{-20}
	xi		Σ^-	$\bar{\Sigma}^-$	dds	2,343	-1	1.5×10^{-10}
			Ξ^0	$\bar{\Xi}^0$	uss	2,573	0	2.9×10^{-10}
	xi-c		Ξ^+	$\bar{\Xi}^+$	dss	2,585	-1	1.6×10^{-10}
Ξ_c^+			$\bar{\Xi}_c^+$	dsc	4,834	0	9.8×10^{-14}	
omega		Ξ_c^0	$\bar{\Xi}_c^0$	usc	4,826	+1	3.5×10^{-13}	
		Ω^-	$\bar{\Omega}^-$	sss	3,272	-1	0.8×10^{-10}	
omega-c		Ω_c^0	$\bar{\Omega}_c^0$	ssc	5,292	0	6.4×10^{-14}	
meson	pion	π^+	π^-	$u\bar{d}$	273	+1	2.6×10^{-8}	
		π^0	π^0	$(u\bar{u} - d\bar{d})/\sqrt{2}$	264	0	8.4×10^{-17}	
	kaon*	K^+	K^-	$u\bar{s}$	966	+1	1.2×10^{-4}	
		K^0	\bar{K}^0	$d\bar{s}$	974	0	8.9×10^{-11}	
	J/psi	J or Ψ	J or Ψ	$c\bar{c}$	6,060	0	1.0×10^{-20}	
	omega		ω	ω	$(u\bar{u} + d\bar{d})/\sqrt{2}$	1,532	0	6.6×10^{-23}
			eta	η	η	$(u\bar{u} + d\bar{d})/\sqrt{2}$	1,071	0
	eta-c		η_c	η_c	$c\bar{c}$	5,832	0	3.1×10^{-22}
	B		B^0	\bar{B}^0	$d\bar{b}$	10,331	0	1.6×10^{-12}
			B^+	B^-	$u\bar{b}$	10,331	+1	1.6×10^{-12}
	B-s		B_s^0	\bar{B}_s^0	$s\bar{b}$	10,507	0	1.6×10^{-12}
	D		D_0	\bar{D}_0	$c\bar{u}$	3,649	0	4.2×10^{-13}
			D^+	D^-	$c\bar{d}$	3,658	+1	1.1×10^{-12}
	D-s		D_s^+	D_s^-	$c\bar{s}$	3,852	+1	4.7×10^{-13}
	chi		χ_c^0	$\bar{\chi}_c^0$	$c\bar{c}$	6,687	0	3.0×10^{-23}
psi		Ψ_c^0	$\bar{\Psi}_c^0$	$c\bar{c}$	7,213	0	1.5×10^{-20}	
upsilon		Y	Y	$b\bar{b}$	18,513	0	8.0×10^{-20}	

* The neutral kaon is composed of two particles; the average lifetime of each particle is given.

Higgs Field

- Create “Drag” on Particles (“Molasses”)
- *) Origin of Mass
Makes some gauge bosons very heavy (W 's, Z 's) and therefore short-range (“Weak” interaction)
- Origin of electroweak symmetry breaking
- Pointlike, Fundamental

POPULAR ANALOGIES FOR THE HIGGS FIELD



IT'S LIKE MOVING
THROUGH TREACLE
(OR MOLASSES)






IT'S LIKE A POLITICIAN
MOVING THROUGH A
CROWD



IT'S LIKE MOVING
THROUGH A CROWD
OF POLITICIANS
COVERED IN TREACLE





The LHC at CERN



- See also the movie “Particle Fever”

Higgs Discovery




Some PPPs (particle physics puzzles)

- What's up with neutrinos?
- What is dark matter?
- What is dark energy?
- Where does inflation come from?
- Why is there more matter than antimatter?
- Are there even more fundamental entities than quarks and leptons?
- Are there unknown forces?

Neutrinos DISAPPEAR!


- Originally discovered by Ray Davis: there are too few neutrinos coming from the sun
- Original experiment in Homestead Mine (Cl): Only 1/3 of expected flux
- Confirmed by Sage, Gallex, Super-K, SNO, ...
- Confirmed with reactors: Bugey, Chooz, KamLand,...
- Also found disappearance of μ -neutrinos in atmosphere: Super-K. Confirmed with K2K

Total Rates: Standard Model vs. Experiment
Bahcall-Pinsonneault 2000






Kamiokande, Super-K

- Detect neutrinos from sun and atmospheric neutrinos
- Only 50% of solar vs
- Detection via Cherenkov Light



SNO

- Heavy Water Cherenkov detector
- Sensitive to all 3 types of ν 's with different observables:
 - $d + \nu_e \rightarrow p + p + e^-$;
 - $d + \nu_\mu \rightarrow p + n + \nu_\mu$
- First unambiguous confirmation that total number of ν 's from sun is as expected - only flavor changes





The Nobel Prize in Physics 2015
Takaaki Kajita, Arthur B. McDonald

Share this:     1.5K 

The Nobel Prize in Physics 2015



Photo © Takaaki Kajita

Takaaki Kajita

Prize share: 1/2



Photo: K. MacFarlane.
Queen's University
/SNOLAB

Arthur B. McDonald

Prize share: 1/2

The Nobel Prize in Physics 2015 was awarded jointly to Takaaki Kajita and Arthur B. McDonald *"for the discovery of neutrino oscillations, which shows that neutrinos have mass"*

Deficiencies of the Standard Model

The Standard Model is really successful, but...

- Does (fundamental particle rest) mass exist?
- Why are the masses so vastly different? Lowest mass neutrino eigenstate ~ 0.1 eV, top quark t (top quark) $\rightarrow 170,000,000$ eV
- Why are there so many “fundamental particles”?





Image Credit: Fermilab

Deficiencies of the Standard Model

We observe much more gravitation in the Universe than can be explained by visible mass (and even by all hadronic and leptonic mass left over from the big bang) → WIMPs.




Deficiencies of the Standard Model

Gravitation - what happens at the Planck Scale?

- The Planck Scale - a universal size, time and energy scale
 - Einstein: $E^2 = m^2c^4 + p^2c^2 \Rightarrow E \geq pc$
 - Heisenberg: $\Delta p \cdot \Delta x \geq \hbar/2 \Rightarrow E \geq pc \geq \hbar c/2\Delta x$
 - Newton: $U_{\text{grav}} = m GM/r \Rightarrow$ Escape velocity $v_{\text{esc}} = (2GM/r)^{1/2} \leq c \Rightarrow$
Black hole: Schwarzschild radius $R = 2GM/c^2$
 - Einstein: $M \leftarrow E/c^2 \Rightarrow R = 2GE/c^4 \geq 2G\hbar/(2c^3 R)$
 - \Rightarrow Planck length: $R = (G\hbar/c^3)^{1/2} = 1.6 \cdot 10^{-35}$ m;
Planck Mass $22\mu\text{g}$ (10^{19} GeV)
Planck Energy $2 \cdot 10^9$ J

- What happens at the Planck Scale?
 - Space-Time becomes “frothy”
 - Pointlike interactions make no sense
 - Pointlike particles make no sense



Supersymmetry


- Fundamental Space-Time-Spin symmetry
- Every Particle has a Super-Partner of different spin (different statistics!):
 - Fermions ($S = 1/2$) \Leftrightarrow sFermions ($S = 0$)
 - sneutrinos, selectrons, smus, staus, squarks
 - Bosons ($S = 0,1,2$) \Leftrightarrow Bosinos ($S = 1/2$)
 - winos, zino, photino, gluino, gravitino, higgsino
- May explain dark matter (WIMPs = lightest Super-partner)
- Supersymmetry is broken at high energy scale (1 TeV?) - should be accessible at LHC

Supersymmetry - some (minor?) problems

- Now we are supposed to **double** the number of particles (not a single one has been detected yet)? First LHC run came up empty!
- Add to that a whole bunch of other parameters and possibly new interactions (sfermion decays, quark decays \rightarrow proton should be unstable, but so far only upper limits have been found)
- Why is supersymmetry broken, and why is it broken at yet another mass scale?




Super-Strings

- All particles are vibrations of incredibly tiny strings (of size of the Planck scale, 10^{17} times smaller than resolution of present accelerators). Tension = $10^9\text{J}/10^{-35}\text{m} = 10^{40}$ tons
- They are “wrapped” around extra dimensions
- Their vibrational energies determine their masses.
- Vibration patterns determine charges and spin (determined by geometry of extra dimensions).
- Original idea: Kaluza-Klein.




Super-Strings

- Require 9+1 dimensions to avoid negative probabilities
- Extra dimensions “curled up”
- “Calabi Yau Spaces”
- Compare to ants on a hose



Super-String Theory

- Unified picture of all four interactions
- Avoids singularities in particle interactions - you can't make them smaller than the Planck Length
- Includes Supersymmetry "automatically"
- Could be compatible with all 4 forces uniting in strength at the Planck scale
- Might explain beginning of Universe



Super-Strings - some (minor?) Problems

- Nobody can write down the exact theory (equations aren't fully known)
- Only approximate solutions known
- Many competing versions (Brane theory...) -> too many solutions
- Presently hard to see how we can test them experimentally

The New York Times
nytimes.com

PRINTER-FRIENDLY FORMAT
SPONSORED BY STARBUCKS.COM

September 2, 2003

One Cosmic Question, Too Many Answers

By DENNIS OVERBYE

Call it the theory of anything.

But the same calculations confirmed that string theory could have a vast number of solutions, each representing a different universe with slightly different laws of physics. The detailed characteristics of any particular one of these universes — the laws that describe the basic forces and particles — might be decided by chance.

As a result, string theorists and cosmologists are confronted with what Dr. Leonard Susskind of Stanford has called "the cosmic landscape," a sort of metarealm of space-times. Contrary to Einstein's hopes, it may be that neither God nor physics chooses among these possibilities, Dr. Susskind contends. Rather it could be life.

Only a fraction of the universes in this metarealm would have the lucky blend of properties suitable for life, Dr. Susskind explained. It should be no surprise that we find ourselves in one of these. "We live where we can live," he said.

Dr. Susskind conceded that many colleagues who harbor the Einsteinian dream of predicting everything are appalled by that notion that God plays dice with the laws of physics.

Among them is **Dr. David Gross**, director of the Kavli Institute of Theoretical Physics in Santa Barbara, Calif., who said, "I'm a total Einsteinian with respect to the ultimate goal of science." Physicists should be able to predict all the parameters of nature, Dr. Gross said, adding, "They're not adjustable."

Nobel Laureate 2004




The Future ?



Alice

- LHC (CERN)



- NLC ?